




Professional Round Spot lights




Our Pro spot light range has a variety of trimless and trim downlights in various finishes and reflector combinations for that tailored look.



Optimal heatsink design, quality LED chips and drivers ensures the long life of the fitting



# Recessed ATTO LED spot light




## Description

A tiny spot light for accent lighting. With anti glare technology this tiny recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme.


## Features

- Aluminium housing
- Compact light 33mm inc ring.
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 18/25/34 degrees
- Cutout 28mm
- Dimming –DALI/1-10v/Switching
- 3w 200 lumens


## Atto and Nano Ring and reflector colour combinations




WS-White Silver



WB-White Black




WG- White Gold



BS-Black Silver



BB-Black Black




BG-Black Gold



## Recessed NANO LED spot light

## Adjustable NANO-A LED

## Wall wash NANO-W LED




### Description

With anti glare technology this small recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme.

### Features

- Aluminium housing
- Compact light 60mm inc ring.
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 15/25/40 degrees
- Cutout 54mm
- Dimming –DALI/1-10v/Switching
- 5w 350 lumens




### Description

With anti glare technology this small recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme.

### Features

- Aluminium housing
- Adjustable tilt 0-25 degrees
- Adjustable rotate 360 degrees
- Compact light 60mm
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 15/25/40 degrees
- Cutout 54mm
- Dimming –DALI/1-10v/Switching
- 5w 350 lumens




### Description

Specially developed wall wash optics this small recessed light will be welcome in any interior. Uniform wall wash whilst reducing bright spots.


### Features

- Aluminium housing
- Wall wash optics
- Compact light 60mm
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 15/25/40 degrees
- Cutout 54mm
- Dimming –DALI/1-10v/Switching
- 8w 500 lumens
- Black finish only


### Nano Ring and reflector colour combinations




WS-White Silver



WB-White Black




WG- White Gold




BS-Black Silver



BB-Black Black



BG-Black Gold





#### Description

With anti glare technology this small recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme.

#### Features

- Aluminium housing
- Trimless plaster in design
- Compact light 50mm exposed
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 15/25/40 degrees
- Cutout 54mm
- Dimming –DALI/1-10v/Switching
- 7w 585 lumens



#### Description

With anti glare technology this small recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme.

#### Features

- Aluminium housing
- Trimless plaster in design
- Adjustable tilt 0-25 degrees
- Adjustable rotate 360 degrees
- Compact light 50mm
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 15/25/40 degrees
- Cutout 54mm
- Dimming –DALI/1-10v/Switching
- 7w 585 lumens




#### Description

Specially developed wall wash optics this small recessed light will be welcome in any interior. Uniform wall wash whilst reducing bright spots.


#### Features

- Aluminium housing
- Wall wash optics
- Compact light 50mm
- Anti glare design
- 3000K or 4000K Ra>90
- Cutout 54mm
- Dimming –DALI/1-10v/Switching
- 8w 500 lumens
- Black finish only


#### Nano Ring and reflector colour combinations



WS-White Silver



WB-White Black



WG- White Gold

## Recessed MICRO LED spot light




### Description

With anti glare technology this recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme.


### Features

- Aluminium housing
- 90mm diameter inc. ring.
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 20/27/34 degrees
- Cutout 80mm
- Dimming –DALI/1-10v/Switching
- 11w 750 lumens


### Micro Ring and reflector colour combinations




WS-White Silver



WB-White Black




WG- White Gold



BS-Black Silver




BB-Black Black



BG-Black Gold

## Adjustable MICRO-A LED spot light



### Description

With anti glare technology this recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme.

### Features

- Aluminium housing
- Adjustable tilt 0 to 25 degrees
- Adjustable rotate 0-360 degree
- 90mm diameter inc. ring
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 20/27/34 degrees
- Cutout 80mm
- Dimming –DALI/1-10v/Switching
- 11w 750 lumens

## Trimless MICRO-T LED spot light




### Description

The MICRO-T trimless LED spot will provide your interior with a minimalist look combined with anti glare technology this recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme


### Features

- Aluminium housing
- Trimless plaster in design
- 75mm exposed aperture
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 20/27/34 degrees
- Cutout 80mm
- Dimming –DALI/1-10v/Switching
- 11w 750 lumens


### Micro Ring and reflector colour combinations




WS-White Silver



WB-White Black




WG- White Gold



BS-Black Silver



BB-Black Black



BG-Black Gold

## Trimless Adjustable MICRO-TA LED spot light



### Description

With anti glare technology this recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme.

### Features

- Aluminium housing
- Trimless plaster in design
- Adjustable tilt 0 to 25 degrees
- Adjustable rotate 0-360 degree
- 75mm exposed aperture
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 20/27/34 degrees
- Cutout 80mm
- Dimming –DALI/1-10v/Switching
- 11w 750 lumens

# Surface MICRO-S LED spot light



135mm

77mm


## Description

With anti glare technology this surface light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme.


## Features

- Aluminium housing
- Surface mounted
- 77mm diameter. 135mm high
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 20/27/34 degrees
- Dimming –DALI/1-10v/Switching
- 11w 750 lumens


Micro  
Ring and reflector  
colour combinations




WS-White Silver



WB-White Black




WG- White Gold



BS-Black Silver



BB-Black Black




BG-Black Gold





Professional Square Spot lights




## Description

With anti glare technology this recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme. Adjustable tilt 20 degrees

## Features

- MICRO



Micro STA  
Square reflector  
colour options




G- Gold



B- Black



W - White




100mm

## Description

With anti glare technology this recessed light will be welcome in any interior. A range of diffuser colours will also mean this works with your interior scheme.

## Features

- Aluminium housing
- Trimless plaster in design
- Adjustable tilt 0 to 25 degrees
- 100mm exposed aperture
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 15/36/60 degrees
- Cutout 102x 102mm
- Dimming –DALI/1-10v/Switching
- 15w 1053 lumens
- 20w 1249 lumens






## Description

With anti glare technology this recessed light will be welcome in any interior. A range of ring and diffuser colours will also mean this works with your interior scheme.

## Features

- Aluminium housing
- 90mm with trim
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 15/30/36 degrees
- Cutout 80 x 80mm
- Dimming –DALI/1-10v/Switching
- 8w 615 lumens
- 10w 725 lumens



Micro  
Square Reflectors  
colour




G- Gold



B- Black



W - White



## Description

With anti glare technology this recessed light will be welcome in any interior. A range of diffuser colours will also mean this works with your interior scheme.

## Features

- Aluminium housing
- 130mm with trim
- Anti glare design
- 3000K or 4000K Ra>90
- Beam angle 15/36/60 degrees
- Cutout 105x 105mm
- Dimming –DALI/1-10v/Switching
- 15w 1213 lumens
- 20w 1306 lumens

# Recessed STAGE –I, -II, -III spot lights



STAGE –I



STAGE –II




STAGE –III

## Description

With anti glare technology this recessed single, double or triple spot will be welcome in any interior. Adjustable tilt and rotation. Variety of beam angles and outputs available.

## Features

- Aluminium housing
- 93mm with trim
- Anti glare design
- 3000K or 4000K Ra>80
- Beam angle 15/36/60 degrees
- Cutout 82mm x 82mm (single)
- Dimming –DALI/1-10v/Switching
- IP44 rating optional
- 10w 920 lumens (single)
- 20w 1800 lumens (double)
- 30w 2700 lumens (triple)





PLANE series linear downlights



BB – Black with black louver



BS-Black with silver louver



WB-White with black louver



WS-White with silver louver

Description

The PLANE utilizes anti-glare optical technologies, combined with special designed round louvers to perform various light distributions. Multiple types of anti-glare technologies are employed to enhance visual comfort.

Trimless plaster in profile

Features

- Aluminium profile
- Trimless plaster in
- Available in 168mm modules
- 144mm x 30mm cutout
- DALI / 1-10v or switching
- Black with white or silver louver
- White with black or silver louver
- Beam angle 18,34 degrees
- High visual comfort
- 3000K or 4000K ra>90
- 7w LED 660lm



PLANE –TS and PLANE-TS-HO with square louver is also available



Description

The PLANE TR-HO Trimless plaster in profile has 50% more output than standard PLANE. Slightly different dimensions but other wise the same. Used where you need more light than the standard plane.

Features

- Aluminium profile
- Trimless plaster in
- Available in 294mm modules
- 50mm wide
- 290mm x 50mm cutout
- DALI / 1-10v or switching
- Black with white or silver louver
- White with black or silver louver
- Beam angle 18,36 degrees
- High visual comfort
- 3000K or 4000K ra>90
- 10w LED 900lm






## Description

The PLANE utilizes anti-glare optical technologies, combined with asymmetrical optics to perform various light distributions. Multiple types of anti-glare technologies are employed to enhance visual comfort. Optics provide uniform wall wash lighting. Ultra thin profile of 25mm wide by 68mm high.

Trimless plaster in profile

## Features

- Aluminium profile
- Trimless plaster in
- Available in 298mm modules
- 25mm wide
- 265mm x 32mm cutout
- DALI / 1-10v or switching
- Black with white finish
- Wall wash optics
- High visual comfort
- 3000K or 4000K  $ra > 90$
- 7w LED 660lm



## Surface PLANE-SR LED downlight



BB – Black with black louver



BS-Black with silver louver



WB-White with black louver



WS-White with silver louver

### Description

The PLANE utilizes anti-glare optical technologies, combined with special designed Round louvers to perform various light distributions. Multiple types of anti-glare technologies are employed to enhance visual comfort.

Ultra thin profile of 25mm wide by 60mm high.

Surface mounted

### Features

- Aluminium profile
- Surface mounted
- 25mm wide
- Available in 135mm modules
- 144mm x 30mm cutout
- DALI / 1-10v or switching
- Black with white or silver louver
- White with black or silver louver
- Beam angle 18,34 degrees
- High visual comfort
- 3000K or 4000K  $ra > 90$
- 7w LED 660lm



PLANE –S and PLANE-S-HO with square louver is also available

## PLANE-SR-HO LED downlight



### Description

The PLANE utilizes anti-glare optical technologies, combined with special designed Round louvers to perform various light distributions. Multiple types of anti-glare technologies are employed to enhance visual comfort.

Thin profile of 50mm wide by 70mm high.

Surface mounted

50% more output than standard PLANE

### Features

- Aluminium profile
- Surface mounted
- 50mm wide
- Available in 294mm modules
- Surface mounted
- DALI / 1-10v or switching
- Black with white or silver louver
- White with black or silver louver
- Beam angle 18,34 degrees
- High visual comfort
- 3000K or 4000K  $ra > 90$
- 10w LED 900lm






## Description

The SPLINTER utilizes anti-glare optical technologies, combined with square louvres modules to give very low glare properties. From one module to up to 5 modules at 3 watts each can be produced.

Thin profile of 45mm wide by 57mm high.  
Trimless or with trim versions available

## Features

- Aluminium profile
- Surface mounted
- 3 watt modules
- Available in 45mm modules
- DALI / 1-10v or switching
- Black with black louvre
- White with black louvre
- Beam angle 15,30, 50 degrees
- High visual comfort
- 3000K or 4000K ra>90
- 3w LED 150lm per module



5 LED



4 LED



3 LED



2 LED



1 LED

